
## **Broaching Studs**





Broaching Studs						
Thread Size	Н	D	S	Hole Size In Sheet Minimum M		Minimum Distance
And Pitch	Maximum	+/- 0.25	+/-0.13	+0.08/-0.00	Panel Thickness	To Edge Of Panel
M3 x 0.5	2.3	4.58	0.5	3.0	1.5	3.8
M4 x 0.7	2.3	5.74	0.5	4.2	1.5	4.1
M5 x 0.8	2.3	6.6	0.5	5.0	1.5	5.1

Lengths +/- 0.25	6	8	10	12	15	18		
M3 x 0.5	٧	٧	٧	٧	٧	٧		
M4 x 0.7	٧	٧	٧	٧	٧	٧		
M5 x 0.8	٧	٧	٧	٧	٧	٧		

Material				
Phosphor Bronze	Electric Plated Bright Tin (ET)			
Minimum Hardness Of Parent Material				
55HRB				

INFORMATION AND DRAWINGS PROVIDED ARE FOR REFERENCE ONLY