

## Crimped Cup And Bevel Wire Brushes

### Crimped Steel Wire Cup Brush

75 - 100 - 125 & 150m/m Diameters



Part Numbers  
75 TCC  
100 TCC  
125 TCC  
150 TCC  
Arbor M14  
Wire Thickness 0.3m/m

MAX RPM  
75 TCC - 12,500  
100 TCC - 8,500  
125 TCC - 6,500  
150 TCC - 6,500

For Use On Angle Grinders When  
Cleaning And Polishing Metal  
Surfaces. Crimped Wire Ideal For  
Lightly Removing Loose Paint  
Rust And Dirt Without Scarring  
The Base Material

### Crimped Stainless Steel Wire Cup Brush



Part Number 75 TCCSS  
Diameter 75m/m  
Arbor M14  
Wire Thickness 0.5m/m

MAX RPM 8,500

For Use On Angle Grinders  
The Crimped Stainless Steel  
Is Ideal For Removing Loose  
Paint, Rust Or Dirt Without  
Contaminating The Base

### Crimped Steel Wire Bevel Brush



Part Numbers  
115 TBC  
Diameter 115m/m  
Arbor M14  
Wire Thickness 0.3m/m

MAX RPM 12,500

For Use On Angle Grinders  
Suitable For Cleaning And Polishing  
Metal Surfaces. The Crimped Wire  
Is Ideal For Lightly Polishing Loose  
Paint, Rust Or Dirt Without  
Scarring The Base Material

### Crimped Stainless Steel Wire Bevel Brush



Part Number  
115 TBCSS  
Diameter 115m/m  
Arbor M14  
Wire Thickness 0.3m/m

MAX RPM 12,500

For Use On Angle Grinders  
The Crimped Stainless  
Steel Wire Is Ideal For  
Lightly Removing Loose  
Paint, Rust Or Dirt  
Without Scarring Or Contaminating  
The Base Material

### Twist Knot Steel Wire Cup Brush

80 And 100 Diameters



Part Numbers  
80 TCT  
100 TCT  
Arbor M14  
Wire Thickness 0.5m/m

MAX RPM 8,500

Suitable For Cleaning Metal, Wood  
And Masonry Surfaces. The 0.5m/m  
The 0.5m/m Left Hand Twist Wire  
Is Hard Wearing Giving An Aggressive  
Removal Of Paint, Rust, Rubber, Concrete  
Or Dirt Whilst Maintaining Its Shape.  
The Metal Ring Around The Base Of  
The Cup Reduces The Likelihood Of  
Centrifugal Splay And Can Also Be  
Removed To Increase Usage Life

### Twist Knot Stainless Steel Wire Cup Brush



Part Number 100 TCTSS  
Diameter 100m/m  
Arbor M14  
Wire Thickness 0.5m/m

MAX RPM 8,500

Suitable For Cleaning Metal, Wood  
And Masonry Surfaces. The 0.5m/m  
The 0.5m/m Left Hand Twist Wire  
Is Hard Wearing Giving An Aggressive  
Removal Of Paint, Rust, Rubber, Concrete  
Or Dirt Whilst Maintaining Its Shape.  
The Stainless Steel Wire Reduces  
Contamination Of The Base Material  
The Metal Ring Around The Base Of  
The Cup Reduces The Likelihood Of  
Centrifugal Splay And Can Also Be

FOR PERSONAL SAFETY PLEASE DO NOT EXCEED THE MAXIMUM RPM